

Eaton 3SM36

Catalog Number: 3SM36

Eaton 3S Mini UPS, 36 W, Input: French, Outputs: (4) Barrel, Output voltages: DC 9V-3A, 12V-3A, 15V-2.4, 19V-1.89A, Tower

General specifications



Kuva on edustava

Product Name
Eaton 3S Mini UPS

Catalog Number
3SM36

EAN
3553340705014

Product Length/Depth
136 mm

Product Height
30 mm

Product Width
95 mm

Product Weight
0.37 kg

Compliances
CE Marked

Certifications
CE
IEC/EN 62040-2
IEC 62477-1
IEC 62040-5-3

Battery

Battery type

Lithium-ion

Runtime graph

\$row.attributeValue.cdata

Battery replacement

User replaceable

Electrical output

Output nominal voltage

9 V (12/15/19 V)

Receptacle

(4) Barrel adaptators

Wattage

36W

Topology

Offline

Electrical input

Input connection

Other

Input cord length

1 m

Input voltage range

100-240 V

Input frequency range

46-70 Hz

Communications

User interface

LEDs

Environmental

Altitude

2000 m

Noise level

<25 dB at 1 meter

Relative humidity

0-85% non-condensing

Additional specifications

Package contents

UPS

Input cable

(4) Barrel adaptators

Quickstart guide

Color

Black/White

Lisämateriaalit



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. Kaikki
oikeudet pidätetään.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)