



## RA19 Network Cabinets 19" Wall Mount, 600x450 mm

Network Cabinet, 19", Wall Mount, Glass Door

RA19W645\_\_GDB Rev.00, Date 2018-03-07



## Features

- 7U to 15U high
- 450 mm deep
- Max load: 60 kg
- Glass door
- Black colour (grey available upon request)
- Welded frame, stable structure with precise craftsmanship
- Single section, compatible with 19" standard equipments
- Tempered glass front door with 180 degrees turning degree
- Removable side panel with latch, easy to install and maintain
- Cable entry on the top cover and bottom panel with knock-out plate
- L-shaped mounting profile, easy to fix on the wall
- Various optional accessories

## Standards of reference and applications

ANSI/EIA-310-E, IEC 60297-2, DIN 41494 Part 1 & 7.

Telecommunication, LAN, FTTx Cabling, CCTV.

## Installation Features

**Store at** +10 to +50 °C

**Install at** 0 to +50 °C

**Operate at** : -10 to +70 °C

## Design

**Material** : SPCC Cold Rolled Steel

**Door** : tempered glass (alternatively steel)

**19" rails** : 2.0mm thick

**Frame** : 2.0mm thick

**Side panels** : 1.0mm thick

**Colour** : standard Black RAL9004 (optional)

## Ordering and delivery information

Unit count	Width	Depth	Height	Nom. weight (kg)	Code	Sähkönumero	Assembled	Packaging (mm)	Gross weight (kg)
7U	600	450	415	15	RA19W64507GDB	7249368	Standard	620 x 470 x 450	16
9U	600	450	504	17	RA19W64509GDB	7249369	Standard	620 x 470 x 520	18
12U	600	450	637	19	RA19W64512GDB	7249370	Standard	620 x 470 x 660	20

Unit count	Width	Depth	Height	Nom. weight (kg)	Code	Sähkönumero	Assembled	Packaging (mm)	Gross weight (kg)
15U	600	450	770	23	RA19W64515GDB	7249371	Standard	620 x 470 x 800	24

## Recommended connectivity

Patch panels for copper cabling : PPE24SU

Patch panels for fiber optic cabling : ODF124SCS, ODF124SCS and generally all LIIN-25 series

Cable management : OHJPAN

Every effort has been put so that this document is most reliable and free from errors. However, APS cannot be considered responsible for any mistake in this document and users should consult APS for any information needed. APS reserves the right to make changes to the documents at any time, without prior notice.