

Pro-Sec A/S
Egegårdsvej 11
4621 Gadstrup

Certifikat nr.
Certificate no.

232.282

har på baggrund af vurderede systemegenskaber baseret på systemprøvningsrapport(er) for overensstemmelse mellem systembeskrivelse og gældende specifikationer i systemstandarder og/eller andre normative dokumenter opnået dette overensstemmelsescertifikat for systemet
has achieved this certificate of conformity based on evaluation of system approval test report(s) for conformity between system standards and(or) other normative documents for the system

INIM Previda-Compact Automatisk Branddetekterings- og Alarm-system
Automatic Fire Detection and Alarm System

til anvendelse i automatiske brandalarmanlæg.
to be used in automatic fire detection and alarm systems.

Certifikatet tilkendegiver overensstemmelse med kravene i følgende standarder og andre normative dokumenter:
The certificate signifies compliance with the requirements in the following standards and other normative documents:

EN 54-13: 2005 Fire detection and fire alarm systems – Part 13:
Compatibility assessment of system components.

DBI Guideline 003 Fire safety systems

Certifikatet er kun gældende så længe systemet er i overensstemmelse med ovennævnte samt kravene i certificeringsordningen.
The certificate is only valid as long as the system is in conformity with the above mentioned and the requirements of the certification system.

Udstedt / *Issued*: 2018-11-29
Udløber/ *expire*: 2021-11-29



Allan Laursen



Merete Poulsen

Bilag/Annex: 1

OMFANG/ *EXTENT*

Type <i>Type</i>	Produkt <i>Product</i>	Certifikat <i>Certificate</i>
Control and indicating equipment	PREVIDIA-C200LZEG	0051-CPR-1498
Repeater	PREVIDIA-C-REPEW 232	0051-CPR-1498
Repeater	PREVIDIA-C-REPEW	0051-CPR-1498
Smoke point detector With short-circuit isolator.	ED100, adressable	0832-CPR-F1150
Heat point detector With short-circuit isolator.	ED200, adressable	0832-CPR-F1244
Smoke and Heat point detector With short-circuit isolator.	ED300, adressable	0832-CPR-F1151
In -/Output Devices with short-circuit isolator.	EM312SR, adressable	0832-CPR-F1245
In -/Output Devices with short-circuit isolator.	EU311, adressable	0832-CPR-F1246
In -/Output Devices with short-circuit isolator.	EM344R, adressable	0832-CPR-F0445
In -/Output Devices with short-circuit isolator.	EM344S, adressable	0832-CPR-F0444
In -/Output Devices with short-circuit isolator.	EM340, adressable	0832-CPR-F0446
In -/Output Devices with short-circuit isolator.	EM304S, adressable	0832-CPR-F0447
In -/Output Devices with short-circuit isolator.	EM304R, adressable	0832-CPR-F0448
Manual call point with short circuit isolator	EC0020	0832-CPR-F0443
Power supply equipment	SPS24060S	0051-CPR-0434
Power supply equipment	SPS24160S	0051-CPR-0433
Sounders and visual alarm device with short circuit isolator	ESB1020, adressable	0051-CPR-1316
Sounders and visual alarm device with short circuit isolator	ESB1050, adressable	0051-CPR-1316

Bilag/Annex: 1

OMFANG/ *EXTENT*

Type <i>Type</i>	Produkt <i>Product</i>	Certifikat <i>Certificate</i>
Sounders and visual alarm device with short circuit isolator	ES1020, adressable	0051-CPR-1316
Sounders and visual alarm device with short circuit isolator	ES1050, adressable	0051-CPR-1316
Sounders and visual alarm device with short circuit isolator	ES2020RE, adressable	0051-CPR-1316
Sounders and visual alarm device with short circuit isolator	ES2020WE, adressable	0051-CPR-1316
Sounders and visual alarm device with short circuit isolator	ES2050RE, adressable	0051-CPR-1316
Sounders and visual alarm device with short circuit isolator	ES2050WE, adressable	0051-CPR-1316
Sounders device with short circuit isolator	ESB1030, adressable	0051-CPR-1317
Sounders device with short circuit isolator	ESB1010, adressable	0051-CPR-1317
Sounders device with short circuit isolator	ES1010, adressable	0051-CPR-1317
Sounders device with short circuit isolator	ES2030RE, adressable	0051-CPR-1317
Sounders device with short circuit isolator	ES2030WE, adressable	0051-CPR-1317
Sounders device with short circuit isolator	ES2010RE, adressable	0051-CPR-1317
Sounders device with short circuit isolator	ES2010WE, adressable	0051-CPR-1317
Sounders and visual alarm device	ISB1020, adressable	0051-CPR-1318
Sounders and visual alarm device	ISB1050, adressable	0051-CPR-1318
Sounders and visual alarm device	IS1020, adressable	0051-CPR-1318
Sounders and visual alarm device	IS1050, adressable	0051-CPR-1318
Sounders and visual alarm device	IS2020RE, adressable	0051-CPR-1318
Sounders and visual alarm device	IS2020WE, adressable	0051-CPR-1318

Bilag/Annex: 1

OMFANG/ *EXTENT*

Type <i>Type</i>	Produkt <i>Product</i>	Certifikat <i>Certificate</i>
Sounders and visual alarm device	IS2050RE, adressable	0051-CPR-1318
Sounders and visual alarm device	IS2020WE, adressable	0051-CPR-1318
Sounders device	ISB1010	0051-CPR-1319
Sounders device	ISB1030	0051-CPR-1319
Sounder device	IS1030	0051-CPR-1319
Sounder device	IS1010	0051-CPR-1319
Sounder device	IS2010RE	0051-CPR-1319
Sounder device	IS2010WE	0051-CPR-1319
Sounder device	IS2030RE	0051-CPR-1319
Sounder device	IS2030WE	0051-CPR-1319
Smoke point detector	ID100	0832-CPR-F1152
Heat point detector	ID200	0832-CPR-F1243
Smoke and Heat point detector	ID300	0832-CPR-F1153
Manual call point	IC0020	0832-CPR-F0442
Manual call point	WRP2-R-01	0359-CPR-00439
Smoke detectors – Line detectors using an optical beam	thefirebeam	0786-CPD-20241
Sounder device	PBS-0003	0832-CPD-0453
Sounder device	SONOS DC Sounders PSS-0050 ,PSO-0007 and PSS-0089	0832-CPR-F1923
Sounder device	SONOS DC Sounders PSS-0003 ,PSO-0001 and PSS-0084	0832-CPR-F1923

Bilag/Annex: 1

OMFANG/ *EXTENT*

Type <i>Type</i>	Produkt <i>Product</i>	Certifikat <i>Certificate</i>
Visual alarm device	ESBA3000R	0832-CPR-F0007
Visual alarm device	ESBA3000W	0832-CPR-F0007
Sounder and visual alarm device	ESCA3000R	0832-CPR-F0008
Sounder and visual alarm device	ESCA3000W	0832-CPR-F0008
Visual alarm device	ESBA4000R	0832-CPR-F0009
Visual alarm device	ESBA4000W	0832-CPR-F0009
Sounder and visual alarm device	ESCA4000W	0832-CPR-F0010
Sounder and visual alarm device	ESCA4000R	0832-CPR-F0010
Sounder device	TAA-0007 6"	0832-CPD-0760
Sounder device	TAA-0017 6"	0832-CPD-0959
Sounder and visual alarm device	LF24W	1328-CPR-0427
Sounder device	LF20W	1328-CPR-0584
Sounder device	SYHO/C	0832-CPD-0142
Sounder device	SYHO/WP	0832-CPD-0142
Smoke detector with integrate light and short circuit isolator	V100	0832-CPD-1066
Smoke and Heat point detector With integrate lighth and short-circuit isolator	V200	0832-CPD-1067
Heat point detector With short-circuit isolator	V350	0832-CPD-1065
Manual call point with short circuit isolator	VCP100	0832-CPD-1059
I/O device with short circuit isolator	VMMIC100	0786-CPD-21212 and DOP VE0610CPR20130701

Bilag/Annex: 1

OMFANG/ *EXTENT*

Type <i>Type</i>	Produkt <i>Product</i>	Certifikat <i>Certificate</i>
I/O device with short circuit isolator	VMMIC120	0786-CPD-21214 and DOP VE0610CPR20130701
I/O device with short circuit isolator	VMMI100	0786-CPD-21210 and DOP VE0610CPR20130701
I/O device with short circuit isolator	VMMC100	0786-CPD-21211 and DOP VE0610CPR20130701
I/O device with short circuit isolator	VMMC120	0786-CPD-21213 and DOP VE0610CPR20130701
I/O device with short circuit isolator	VMIC100	0786-CPD-21189 and DOP VE0610CPR20130701
I/O device with short circuit isolator	VMIC120	0786-CPD-21187 and DOP VE0610CPR20130701
I/O device with short circuit isolator	VMI100	0786-CPD-21190 and DOP VE0610CPR20130701
I/O device with short circuit isolator	VMC100	0786-CPD-21188 and DOP VE0610CPR20130701
I/O device with short circuit isolator	VMC120	0786-CPD-21186 and DOP VE0610CPR20130701
Sounder with short circuit isolator and I/O device	CWS100+ ALWS-MOD	0832-CPR-F0992
Sounder and visual alarm device with short circuit isolator and I/O device	ALWS-MOD+CWS100-AV	0832-CPR-F0993
I/O device with short circuit isolator and Radio links	VW2W100, Wire to Wireless translator	0832-CPD-1071
I/O device with Radio links	SGWE100, Wireless	0832-CPD-1690
Smoke detector with integrate light and Radio links	SG100, Wireless	0832-CPD-1069
Smoke and Heat point detector With integrate light, short-circuit isolator and Radio links	SG200, Wireless	0832-CPD-1070
Heat point detector With integrate light and Radio links	SG350, Wireless	0832-CPD-1068
Manual call point with Radio links	SGCP100, Wireless	0832-CPD-1683
I/O device with Radio links	SGMCB200, Battery powered and Wireless	0832-CPR-F0690 and DOP SG0910CPR

Bilag/Annex: 1

OMFANG/ *EXTENT*

Type <i>Type</i>	Produkt <i>Product</i>	Certifikat <i>Certificate</i>
I/O device with Radio links	SGMI200, Battery powered and Wireless	0832-CPR-F0691 and DOP SG1010CPR
I/O device with Radio links	SGWS-MOD+CWS100, Wireless	0051-CPR-0464
Sounder with integrated visual alarm device and Radio links	SGWS-MOD+CWS100-AV, Wireless	0051-CPR-0465
Sounder with Radio links	SGRBS100, Wireless	0832-CPD-1684 and DOP SG0410CPR20130701
Sounder with Radio links	SGRBS100-AV, Wireless	0832-CPD-1685 and DOP SG0410CPR20130701
Smoke point detector	55000-885, addressable	0832-CPR-F1030
Heat point detector	55000-401, addressable	0832-CPR-F1724
Smoke point detector	55000-620, addressable	0832-CPR-F1027
Smoke point detector	55000-600, addressable	0832-CPR-F1027
Heat point detector	55000-400, addressable	0832-CPR-F1722
Visual alarm device with short circuit isolator	45681-709	0832-CPR-F0467
Sounder with integrated visual alarm device and short circuit isolator	45681-705	0832-CPR-F0459
Manual call point	55100-905, addressable	0832-CPD-0795
Manual call point with shortcircuit isolator	55100-908, addressable	0832-CPR-F1451
Heat point detector	58000-305	0832-CPD-1761
Heat point detector	58000-400, addressable	0832-CPD-0022
Smoke point detector With integrate lighth	58000-600, addressable	0832-CPR-F1031
Smoke and Heat point detector	58000-700, addressable	0832-CPR-F1032
Manual call point with short circuit isolator	58100-905, addressable	0832-CPD-0798

Bilag/Annex: 1

OMFANG/ *EXTENT*

Type <i>Type</i>	Produkt <i>Product</i>	Certifikat <i>Certificate</i>
Manual call point	58100-910, addressable	0832-CPD-0797
Aspirating smoke detector	Discovery ASD-1	0786-CPR-21340
Aspirating smoke detector	Discovery ASD-2	0786-CPR-21340
Sounder with with short circuit isolator	58000-030	0832-CPD-2098
Sounder with with short circuit isolator	58000-040	0832-CPD-2098
Sounder with with short circuit isolator	58000-010	0832-CPD-2097
Sounder with with short circuit isolator	58000-020	0832-CPD-2097
Sounder device	58000-005	0832-CPR-F1494
Sounder device	58000-007	0832-CPR-F1494
Sounder device with short circuit isolator	45681-702	0832-CPR-F0465
Sounder and visual alarm device with short circuit isolator	45681-700-	0832-CPR-F0457
Sounder and visual alarm device with short circuit isolator	45681-701	0832-CPR-F0457
Heat point detector	55000-440, addressable	0832-CPD-0311
Smoke point detector	55000-640, addressable	0832-CPR-F1028
Manual call point	55200-940, addressable	0359-CPR-00188
Heat point detector	ORB-HT-11003-APO	0832-CPD-0031
Heat point detector	ORB-HT-11015-APO	0832-CPD-0031
Smoke point detector	ORB-OP-12001-APO	0832-CPR-F1350
Smokepoint detector	ORB-OP-12003-APO, with flashing LED	0832-CPR-F1350

Bilag/Annex: 1

OMFANG/ *EXTENT*

Type <i>Type</i>	Produkt <i>Product</i>	Certifikat <i>Certificate</i>
Heat point detector	ORB-HT-11167-APO, with flashing LED	0832-CPD-0450
Heat point detector	ORB-HT-11166-APO	0832-CPD-0450
Heat point detector	ORB-HT-11004-APO	0832-CPD-0032
Heat point detector	ORB-HT-11016-APO, with flashing LED	0832-CPD-0032
Heat point detector	ORB-HT-11013-APO, with flashing LED	0832-CPD-0029
Heat point detector	ORB-HT-11001-APO	0832-CPD-0029
Heat point detector	ORB-HT-11014-APO, with flashing LED	0832-CPD-0030
Heat point detector	ORB-HT-11002-APO	0832-CPD-0030
Heat point detector	ORB-HT-11018-APO, with flashing LED	0832-CPD-0034
Heat point detector	ORB-HT-11006-APO	0832-CPD-0034
Smoke point detector with integrated light	ORB-OH-13001-APO	0832-CPD-0036
Smoke point detector with integrated light	ORB-OH-13003-APO, with flashing LED	0832-CPD-0036
I/O device with short circuit isolator	SA6700-100, Intelligent Twin Switch Monitor	0832-CPR-F1319
I/O device with short circuit isolator	55000-760,, addressable Mini Switch Monitor	0832-CPR-F1448
I/O device with short circuit isolator	55000-845, addressable zone moitor	0832-CPD-0868
I/O device with short circuit isolator	SA4700-100, Intelligent Switch monitor.	0832-CPR-F1316
I/O device with short circuit isolator	SA4700-302, DIN-Rail Input/ Output Unit	0832-CPR-F1316
I/O device	55000-822, addressable	0832-CPD-0857
I/O device	55000-875, addressable	0832-CPD-0860

Bilag/Annex: 1

OMFANG/ *EXTENT*

Type <i>Type</i>	Produkt <i>Product</i>	Certifikat <i>Certificate</i>
I/O device	55000-182, adresable	0832-CPD-0852
I/O device	55000-856, adresable DIN-Rail protocol translator	0832-CPD-0859
I/O device with short circuit isolator	55000-843, adrresable switch monitor	0832-CPD-0867
I/O device	55000-797, adresable DIN-Rail mains input/ output unit	0832-CPD-0853
I/O device with short circuit isolator	55000-812, adresable DIN-Rail zone monitor	0832-CPD-0865
I/O device with short circuit isolator	55000-852, adresable sounder controller.	0832-CPD-0871
I/O device	55000-803, DIN-Rail input/ output unit	0832-CPD-0854
I/O device with short circuit isolator	55000-847, adresable input/ output unit	0832-CPR-F0092
I/O device with short circuit isolator	SA4700-300, Intelligent Switch Monitor	0832-CPR-F1316
I/O device with short circuit isolator	SA4700-102, input/ output unit	0832-CPR-F1316
Short circuit isolator	55000-802, adresable DIN-Rail dual isolator	0832-CPD-0844
I/O device with short circuit isolator	SA4700-103, Intelligent DIN-Rail Mains Switching input/ output Unit	0832-CPR-F1318

Bilag/Annex: 2

PRØVNINGSdokUMENTATION TEST DOKUMENTATION

Akkrediteret laboratorium <i>Accredited laboratory</i>	Rapport nr <i>Report no.</i>	Dato <i>Date</i>
IMQ S.p.A	SS18-0026963-01	30.08.2018

Bilag/Annex: 3

TEKNISK DOKUMENTATION
TECHNICAL DOCUMENTATION

Titel Name	Reference Refence	Dato Date
Installation manual	DCMIINE0PREVIDIAC-100-20180910-WEB (1) DCMCINE0PREVIDIAC-100-20180910-WEB (1)	Not included
Display and operating unit Danish	Betjening ved Brand	Not included
Betjeningsvejledning	Betjening ved brand eller fejl	Not included

Bilag/Annex: 4

AFVIGELSER

DEVIANCE

Intet.
None.